



Tiger

ROTARY AND FLAIL

TruckKat



INNOVATION ON THE MOVE

The Tiger TruckKat Boom Mower starts with the highest quality materials and is built with freedom in mind. The freedom to travel to and from a work site at posted road speeds and once at the work site, use the newest technology in enhanced boom mowing equipment to tackle the toughest jobs with ease. Now featuring 22' and 24' booms for more reach and power.



DURABILITY INNOVATION
COMMITMENT



TruckKat



The Tiger TruckKat Boom Mower can be purchased as a turnkey unit with the Ford F550 FWD chassis, or as a truck bed mount designed for 36,000 GVW trucks with dual steering similar to the Freightliner M2 series.



Stow Height - 13' 5" for 24' Boom
Stow Height - 11' 8" for 22' Boom

Stow Dimensions

Tiger has met the challenges of building a fully operational boom mower that is attached to a truck that meet the legal road limit restrictions.


Giving the operator the ability to travel on any road or highway without any special permits.

The TruckKat has a total width of just under 8' 6" wide with the tallest point of our boom measuring 13' 5" when in the travel stowed position.




Truck Width - 8' 6"

Boom Dimensions



ALL DIMENSIONS IN FEET
 ALL DIMENSIONS TO OUTERMOST BLADE TIP



ALL DIMENSIONS ARE APPROXIMATE
 ACTUAL MOUNTED UNITS MAY VARY

Bengal Reaches	OUT		DOWN		UP		IN
	CENTERLINE OUT TO BLADE TIP	GROUND LEVEL UP TO BLADE TIP	CENTERLINE OUT TO BLADE TIP	GROUND LEVEL DOWN TO BLADE TIP	CENTERLINE OUT TO BLADE TIP	GROUND LEVEL UP TO BLADE TIP	CENTERLINE OUT TO BLADE TIP
Bengal	A	B	C	D	E	F	G
RT50							
22	21'6"	5'6"	11'4"	12'5"	13'1"	19'10"	6'4"
24	23'2"	5'6"	12'5"	13'0"	14'3"	21'2"	5'10"
RT60							
22	22'1"	5'8"	11'6"	13'0"	13'5"	20'9"	5'11"
24	23'8"	5'8"	12'8"	13'6"	14'7"	21'7"	5'6"
FL50							
22	20'11"	5'4"	11'3"	12'0"	12'9"	19'9"	5'10"
24	22'7"	5'4"	12'4"	13'0"	13'10"	20'8"	5'6"
FL63							
22	21'6"	5'9"	11'5"	12'9"	13'3"	21'6"	5'9"
24	23'0"	5'9"	12'9"	13'5"	14'6"	21'11"	5'4"



- Dual Control System - Sit on right or left side of truck with complete control of steering, brake and driving of vehicle. Do not attempt to transport truck at road speeds from the right side seat.
- Joystick Control located on right side of truck for precise mowing operation.
- Control Box located in center console for easy access to all mower functions.



Joystick Control



Control Box

Camera Option



Optional camera located on the right side of the TruckKat allows the operator to view the cutting head in operation while facing forward and steering vehicle.

Camera is fully adjustable to view any angle, built with quick disconnects and mounted magnetically so it can be locked away when not in use.

The monitor shown below is attached using a suction cup device and can be connected to a smooth surface anywhere in the truck. Also features quick disconnects.




Tiger Features

Productivity.
Performance. Power.

With the power of the Tiger TruckKat you can get to the job site and back in record time. The versatility of this innovative machine allows you to mow roadside areas, trim low hanging branches, remove silt from ditches and move snow with ease.

When finished for the day you can drive the TruckKat at road speeds with the traffic flow – increasing safety, cutting down on drive time and improving overall productivity. Experience the power of the all-season Tiger TruckKat.



Remove the Tiger TruckKat in minutes with the use of the patented Kybato Quick Change system. The quick disconnect system allows the truck to be used for other applications throughout the year.

SAFETY FEATURES ACCESSORIES

Engine Make Cummins QSF2.8
Engine Model QSF 2.8 (Tier 4 Final)
Power Rating 74 HP @ 1,800 RPM
Engine Type 4 Cyl., Turbo Diesel
Throttle Control Electronic Adjustable
Hydraulic System 45 GPM @ 3,250 PSI
Safety Stop 7 Second Shut Down
Truck Bed Quick Removable
Cutter Head 50" or 60" Rotary
 50" or 63" Flail
Transport Width 8' 6"
Controls Electronic Joystick

- Master ON/OFF Switch
- Operator Presence Switches on Right Side Door
- Mower Safety Start Switch
- Brush Guard Extending Over Cab
- Operator Protective Screen Covers Right Hand Door
- Manual Emergency Over-ride



OPTIONAL TRAILER HITCH



BOOM SWEEPER



FIRE SUPPRESSION



TURBINE BLOWER



SAW BLADE



SNOW BLOWER



TREE SHEAR

Tiger Corporation
 3301 N Louise Ave.
 Sioux Falls, SD 57107
 800-843-6849
 www.tigermowers.com
 An Alamo Group Company



Dealer Info:

